

# NECK ULTRASOUND

(For suspected lymphadenopathy)

Name:

Sonographer:

Relevant clinical history: .....

.....

.....

Location	Right	Left
Segment 1: Submandibular, submental.	NAD <input type="checkbox"/>	<input type="checkbox"/>
Segment 2: Internal jugular, from skull base to hyoid	NAD <input type="checkbox"/>	<input type="checkbox"/>
Segment 3: Internal jugular, below hyoid	NAD <input type="checkbox"/>	<input type="checkbox"/>
Segment 4: Supraclavicular fossa	NAD <input type="checkbox"/>	<input type="checkbox"/>
Segment 5: Posterior triangle	NAD <input type="checkbox"/>	<input type="checkbox"/>
Segment 6: Adjacent to thyroid.	NAD <input type="checkbox"/>	<input type="checkbox"/>

Findings:

.....

.....

.....

.....

.....


.....

.....

.....

.....

.....



Criteria for abnormal nodes: (at least one of the following)

1. Short axis diameter > 1.5 cm for jugulodigastric node or 1.0 cm for all other nodes  
Long axis diameter > 3.5 cm for jugulodigastric node or 2.5 cm for all other nodes
2. Loss of echogenic hilum
3. Increased vascularity
4. Abnormal shape